


BANDEX WIRING DUCT

สายร้อยท่อ



COLOR : GRAY (สีเทา)

Dimension W x H (mm.)	No. of packing	Item no.		Price
		Slotted : 0	Length 2 m.	
25 x 30	72		WD-2530-0	175.-
25 x 40	56		WD-2540-0	205.-
25 x 60	60		WD-2560-0	240.-
30 x 30	70		WD-3030-0	185.-
33 x 40	46		WD-3340-0	240.-
40 x 40	38		WD-4040-0	250.-
40 x 60	28		WD-4060-0	330.-
40 x 80	56		WD-4080-0	360.-
60 x 40	26		WD-6040-0	330.-
60 x 60	18		WD-6060-0	340.-
60 x 80	20		WD-6080-0	680.-
80 x 60	20		WD-8060-0	396.-
80 x 80	16		WD-8080-0	680.-
100 x 60	16		WD-10060-0	680.-
100 x 100	10		WD-100100-0	1,420.-

COLOR : WHITE (สีขาว)

Dimension W x H (mm.)	No. of packing	Item no.		Price
		Slotted : 0	Length 2 m.	
25 x 30	72		WD-2530-0	175.-
40 x 40	38		WD-4040-0	250.-
50 x 50	26		WD-5050-0	310.-
60 x 60	18		WD-6060-0	340.-
60 x 80	20		WD-6080-0	680.-
75 x 40	32		WD-7540-0	394.-
100 x 40	36		WD-10040-0	506.-
100 x 60	30		WD-10060-0	680.-

■ TC family wire channel is suitable in the use of wires distribution inside the complete set electrical control equipment and various high and low voltage distributors.

TEND

BANDEX WIRING DUCT

วายนึ่งดัก

BANDEX

ROUND TYPE WIRING DUCT



TEEFLEX

Item no.	Packing	W	W1	H	H1	Length	Price
RD-20	300	20	8	6	4	1 M	145.-
RD-30	150	30	11	8	6		185.-
RD-40	100	40	16	9.5	7		230.-
RD-50	65	50	20	11	8		275.-
RD-60	50	60	30	13	9		325.-
RD-70	50	70	40	15	10		365.-

KENION

NISSEI

ROSI


APEKS

COLOR : GRAY (สีเทา)

- Material : High impact, rigid, self-extinguish P.V.C.
- Service temperature : 85°C
- Colour : Gray (Milk, White, Brown, Dark Brown available)
- Backed with high quality double sided tape for permeant stick. Good for floor wiring to facilitate trolley pass and to avoid trip.

LKEW

TAC



MARLOW

SOFT WIRING DUCT

วายนึ่งดัก แบบดัดได้

HARU

WIND SPEED

COMMAX

ADVANTE

UNIVERSAL ADAPTER

ALION

RoHS

- Material:PVC
- Soft pvc products, packed in roll for easy storage.
- Cut to required length for temporary wiring or permanent application.
- Supplied with double sided tape.

Color : Gray (สีเทา), Brown (สีน้ำตาล), Milk (สีครีม), Black (ดำ)

EXOWELD

CONTROL MAX

Item no.	Packing	Dimention				Length	Price
		W	W1	H	H1		
SRD-25	200	25.4	7.4	5.8	3.8	1 M	240.-
SRD-50	50	50.8	14.8	11.6	7.8		325.-
SRD-65	40	66.0	19.0	15.3	10.9		370.-
SRD-75	35	76.2	22.0	17.4	11.6		460.-
SRD-100	20	101.6	29.4	23.2	15.4		550.-

JKN

SYLVIA

WANG

MACCON



*ขอสงวนสิทธิ์ในการเปลี่ยนแปลงราคา

BANDEX WIRING DUCT

สายรัดดัก

- Material : High impact, self-extinguishing, warpproof P.V.C. (Polyvinyl chloride)
- Color : Gray
- Maximum service temperature : 80°C
- Used extensively for all wiring applications Where cable protection is essential i.e. Switchboards etc. (Features parallel holes onboth sidewalls to facilitate cutting in wire application.)
- Special colour, size, length upon request of large quantity.

Dimention W x H (mm.)	No. of packing	Item no.		Price
		Slotted :ø8 mm.	Length 2 m.	
25 x 30	72	WD-2530-8		190.-
25 x 40	56	WD-2540-8		210.-
33 x 40	46	WD-3340-8		250.-
40 x 40	38	WD-4040-8		260.-
60 x 40	26	WD-6040-8		350.-
80 x 40	24	WD-8040-8		570.-
100 x 40	20	WD-10040-8		930.-
25 x 60	42	WD-2560-8		250.-
40 x 60	28	WD-4060-8		350.-
60 x 60	18	WD-6060-8		355.-
80 x 60	20	WD-8060-8		418.-
100 x 60	16	WD-10060-8		715.-
120 x 60	12	WD-12060-8		1,180.-
120 x 65	12	WD-12065-8		1,215.-
25 x 80	28	WD-2580-8		455.-
40 x 80	28	WD-4080-8		380.-
60 x 80	20	WD-6080-8		715.-
80 x 80	16	WD-8080-8		715.-
100 x 80	12	WD-10080-8		1,150.-
120 x 80	10	WD-12080-8		2,340.-
40 x 100	24	WD-40100-8		740.-
70 x 100	14	WD-70100-8		673.-
75 x 100	10	WD-75100-8		1,100.-
100 x 100	10	WD-100100-8		1,450.-



TEND

BANDEX

TAKAMURA

TEEFLEX

KENION

NISSEI

ROSI

APEKS

LKEW

TAC

MARLOW

HARU

WIND
SPEED

COMMAX

ADVANTE

UNIVERSAL
ADAPTER

ALION

EXOWELD

CONTROL
MAX

JKN

SYLVIA

WANG

MACCON

TEND

BANDEX

BANDEX WIRING DUCT

วายนึ่งดัก

TAKAMURA

TEEFLEX

KENION

NISSEI

ROSI

APEKS

LKEW

TAC

MARLOW

HARU

WIND
SPEED

COMMAX

ADVANTE

UNIVERSAL
ADAPTER

ALION

EXOWELD


CONTROL
MAX

JKN

SYLVIA

WANG

MACCON



Dimention W x H (mm.)	No. of packing	Item no.		Price
		Slotted :ø4 mm.	Length 2 m.	
15 x 25	150	WD-1525-4		126.-
20 x 20	140	WD-2020-4		128.-
25 x 25	88	WD-2525-4		128.-
25 x 45	54	WD-2545-4		176.-
25 x 65	40	WD-2565-4		249.-
30 x 30	70	WD-3030-4		160.-
33 x 33	54	WD-3333-4		176.-
33 x 45	40	WD-3345-4		203.-
33 x 65	30	WD-3365-4		270.-
45 x 45	30	WD-4545-4		252.-
45 x 65	24	WD-4565-4		319.-
50 x 50	26	WD-5050-4		284.-
60 x 40	18	WD-6040-4		350.-
60 x 60	18	WD-6060-4		330.-
65 x 45	20	WD-6545-4		334.-
65 x 65	16	WD-6565-4		373.-

WIRING DUCT

DECORATION WIRING DUCT.



- Material : Rigid, self-extinguishing P.V.C.
- Standard colour : Gray, (Milk, White, Brown available upon request to meet your colour system.)
- Features : All size feature same height in 11 mm which were specially designed for flat cables.
- Application : Used extensively for electric wire application of indoor decoration or outdoor security, alarm system.

Color : Gray (สีเทา), White (สีขาว), Milk (สีครีม)

Item no.	Packing	Overall length	Width (mm.)	Height (mm.)	Price
TE-1	340	2 M	12.7 (1/2")	11	36.-
TE-2	200		19.1 (3/4")		48.-
TE-3	170		25.4 (1")		54.-
TE-4	130		31.8 (1 1/4")		60.-
TE-5	110		38.1 (1 1/2")		70.-
TE-6	80		50.8 (2")		90.-

*ขอสงวนสิทธิ์ในการเปลี่ยนแปลงราคา

BANDEX WIRING DUCT

วายนึ่งดัก

- Material : Rigid, self-extinguishing P.V.C.
- Backed with high quality self-adhesive tape to facilitate wire application.
- color : Gray, (Milk, White, Brown available on request)
- Length : 2 M
- Application : Designed to protect wire on floor.

COLOR : GRAY (สีเทา), WHITE (สีขาว), MILK (สีครีม)





Item no.	Packing 1 m.	Packing 2 m.	Dimention			Wire to be contained	Price	
			W1	W2	H		1 m.	2 m.
TP-1	100	350	6	7	4	1 pcs	18.-	36.-
TP-2	55	190	8	8	6	3 pcs	28.-	54.-
TP-3	45	140	10	10	10	3-4 pcs	31.-	62.-
TP-4	60	90	12	15	13	4-7 pcs	38.-	75.-
TP-5	50	75	10	17	16	7-9 pcs	41.-	82.-
TP-6	40	60	11	19	16	10-15 pcs	52.-	104.-
TP-8	30	32	30	37	16	30-40 pcs	121.-	242.-

TELEPHONE WIRING DUCT

RoHS

WD-2010-2

WD-3010-2



WD-4010-3



Item no.	Length	W (m.m.)	W1	W2	W3	H	Packing	Price
WD-2010-2	-	20.0	7.5	7.5	-	10.3	260	142.-
WD-3010-2	-	30.0	12.5	12.5	-	11.2	150	167.-
WD-4010-3	2 M	40.0	11	11.5	11.5	10.3	130	234.-