

BANDEX CABLE GLAND

เคเบิลกลาน



| Part No. | To Suite Panel Hole mm | To Suite Cable Die. mm | | | Length of Thread | Packing | Price |
|-------------|------------------------|------------------------|----|----|------------------|---------|-------|
| | | A | B | C | | | |
| KB-1(BG-19) | 19 | 6 | 8 | 10 | 13 | 50 | 25.- |
| KB-2(BG-22) | 22 | 10 | 13 | 15 | 17.5 | 50 | 25.- |

- Manufactured from soft pvc (black)
- Interior diameter of each gland is available in three sizes. (A, B, C) cut unnecessary part (s) away to fit your different cable diameters.

STANDARD CABLE GLAND

| Part no. | Size mm | Size mm | Tensile strength | Max. bundle mm | Price |
|----------|----------|---------|------------------|----------------|----------|
| NG-16 | 16 x 1.5 | 5 - 10 | 12 | 80 | 35.00.- |
| NG-20 | 20 x 1.5 | 6 - 13 | 13 | 50 | 38.50.- |
| NG-25 | 25 x 1.5 | 10 - 18 | 13 | 50 | 63.00.- |
| NG-32 | 32 x 1.5 | 16 - 22 | 15 | 25 | 103.00.- |
| NG-40 | 40 x 1.5 | 22 - 27 | 21 | 10 | 150.00.- |
| NG-50 | 50 x 1.5 | 30 - 41 | 23 | 10 | 178.00.- |
| NG-63 | 63 x 1.5 | 40 - 53 | 25 | 10 | 222.00.- |



SUPREME-METRIC IP68

| Part no. | Thread mm. | For cable dia. | Length of thread | Pack Qty | Price |
|----------|------------|----------------|------------------|----------|-------|
| AG-12 | 12 x 1.5 | 3 - 6.5 | 8 | 50 | 42.- |
| AG-16 | 16 x 1.5 | 5 - 10 | 15 | 50 | 48.- |
| AG-20 | 20 x 1.5 | 10 - 14 | 15 | 50 | 60.- |
| AG-25 | 25 x 1.5 | 13 - 18 | 15 | 50 | 90.- |
| AG-32 | 32 x 1.5 | 18 - 25 | 15 | 25 | 150.- |
| AG-40 | 40 x 1.5 | 22 - 32 | 18 | 10 | 168.- |
| AG-50 | 50 x 1.5 | 30 - 38 | 18 | 10 | 210.- |
| AG-63 | 63 x 1.5 | 34 - 44 | 18 | 10 | 270.- |
| AG-63L | 60.5 x 1.9 | 34 - 44 | 20 | 10 | 270.- |



SUPREME-PG THREAD IP68

| Part no. | Thread mm. | For cable dia. | Length of thread | Pack Qty | Price |
|----------|------------|----------------|------------------|----------|----------|
| EG-7 | PG-7 | 3 - 6.5 | 8 | 50 | 33.00.- |
| EG-9 | PG-9 | 4 - 8 | 8 | 50 | 37.40.- |
| EG-11 | PG-11 | 5 - 10 | 8 | 50 | 37.40.- |
| EG-13.5 | PG-13.5 | 6 - 12 | 15 | 50 | 47.30.- |
| EG-16 | PG-16 | 10 - 14 | 15 | 50 | 47.30.- |
| EG-21 | PG-21 | 13 - 18 | 15 | 50 | 70.40.- |
| EG-29 | PG-29 | 18 - 25 | 18 | 25 | 115.50.- |
| EG-36 | PG-36 | 22 - 32 | 18 | 10 | 129.80.- |
| EG-42 | PG-42 | 30 - 38 | 18 | 10 | 162.80.- |
| EG-48 | PG-48 | 34 - 44 | 18 | 10 | 210.10.- |



BANDEX BUSHING


บุชซีจ

SNAP BUSHING


- Material: Nylon(Black)
- SNAP BUSHING smooth and insulate your raw-edged holes in metal chassis
- Locking into hole firmly with fingertip pressure.
- Protect electrical cables, ropes, utility lines through metal holes.
- Available in application for chassis thickness from 0.8 mm to 3.2 mm



| Item no. | Mounting hole | | | | Pack Qty | Price |
|----------|---------------|------|------|------|----------|--------|
| | mm | | | | | |
| | A | B | C | L | | |
| SB-08 | 7.9 | 5.2 | 9.4 | 8.0 | 100 pcs | 1.30.- |
| SB-10 | 9.5 | 6.3 | 12.0 | 10.3 | | 1.54.- |
| SB-13 | 13.0 | 8.2 | 14.5 | 10.3 | | 1.68.- |
| SB-16 | 15.9 | 12.2 | 18.6 | 10.3 | | 2.10.- |
| SB-19 | 18.9 | 14.3 | 21.5 | 10.3 | | 2.30.- |
| SB-22 | 22.0 | 17.3 | 23.8 | 11.5 | | 2.52.- |
| SB-26 | 25.1 | 19.1 | 28.0 | 11.5 | | 2.80.- |
| SB-30 | 29.7 | 24.1 | 32.5 | 11.5 | | 3.50.- |
| SB-38 | 38.1 | 29.0 | 41.2 | 11.4 | | 5.50.- |



MOVABLE BUSHING



STANDARD

- P.E. Extruded movable bushing. 10M per roll packed in a plastic bag.
- Cut to fill any hole size for protecting cords, wires, cables against damage from sharp panel edges.
- Available upon request
- Also available in moulded PE bushing. 25 cm per piece and 40pcs packed per bag.

| Part no. | T (mm) | Max. Chassis Thickness mm | Packing | Material | Price |
|----------|--------|---------------------------|---------|----------|-------|
| MB-010 | 1 | 1 | 10 M. | P.E. | 352.- |
| MB-016 | 1.6 | 1.0 - 1.6 | | | 352.- |
| MB-020 | 2 | 1.6 - 2.0 | | | 396.- |
| MB-024 | 2.4 | 2.0 - 2.4 | | | 396.- |
| MB-032 | 3.2 | 2.4 - 3.2 | | | 440.- |
| MB-045 | 4.5 | 3.2 - 4.5 | | | 517.- |


BANDEX HOLE PLUG / HEAT SHRINKING SLEEVE

โหลปลั๊ก / ท่อหดหุ้มบัสบาร์


HOLE PLUGS

- Material: Nylon(Black)
- HOLE PLUG close your unneeded holes with fingertip pressure at own cost and assure good appearance.
- Available in application for chassis thickness from 0.8 mm to 3.2 mm.

| Item no. | Mounting Hole | | | Pack Qty | Price |
|----------|---------------|------|------|----------|--------|
| | mm | | | | |
| | A | B | C | | |
| HP-08 | 8.0 | 11.9 | 8.0 | 100 pcs | 1.50.- |
| HP-10 | 10.0 | 13.0 | 10.5 | | 1.50.- |
| HP-13 | 13.0 | 16.9 | 10.5 | | 1.78.- |
| HP-16 | 16.0 | 19.8 | 10.5 | | 1.78.- |
| HP-19 | 19.0 | 22.9 | 10.5 | | 2.50.- |
| HP-22 | 22.0 | 24.9 | 11.3 | | 2.80.- |
| HP-25 | 25.0 | 28.3 | 11.5 | | 3.50.- |
| HP-30 | 30.0 | 34.2 | 11.5 | | 4.20.- |
| HP-45 | 44.5 | 49.1 | 11.1 | | 7.75.- |



HEAT SHRINKING SLEEVE



R: RED W: White BL:Blue B: Black
G: Green Y: Yellow
BN : Brown LE : Light Blue
GY : Gray

- Material: Rigid Shrinkable P.V.C.
- Used for colour distinction and insulation of busbar in control panel. To be shrunk by blower or hot water.
- Maximum service temp : 80°C

| Item no. | Lay flat dimension | Convert to dia. | Shrinkable range | For copper bus bar/size | Color | Packing | Price |
|----------|--------------------|-----------------|------------------|---|---------------------------------|---------|---------|
| HS-20 | 20 | 13 | 21-11 | 1/2" x 1/8", 3/16" x 1/2", 1/2" x 1/4" | R, W, B, BK Y, G, BN, GN, LB | 100 M | 450.- |
| HS-30 | 30 | 19 | 31-16 | 3/4" x 1/8", 3/4" x 3/16", 3/4" x 1/4", 1" x 1/8", 1" x 3/16" | | | 480.- |
| HS-40 | 40 | 25 | 40-22 | 1 1/4" x 1/8", 1/14" x 3/16", 1 1/4" x 1/4", 1 1/2" x 1/8" | | | 520.- |
| HS-50 | 50 | - | - | 1 1/4" x 1/4", 1 1/2" x 3/16", 1 1/2" x 1/4", 1 1/2" x 3/8" | | | 630.- |
| HS-60 | 60 | 38 | 60-33 | 2" x 1/8", 2" x 3/16", 2" x 1/4", 2" x 3/8", 2" x 1/2" | | | 720.- |
| HS-70 | 70 | 44 | 70-37 | 2 1/2" x 1/8", 2 1/2" x 3/16", 2 1/2" x 1/4" | | | 890.- |
| HS-80 | 80 | 50 | 80-42 | 2 1/2" x 3/8", 3" x 1/4", 3" x 3/8", 3" x 1/8" | | | 970.- |
| HS-100 | 100 | 63 | 100-55 | 3" x 3/16", 3" x 1/4", 3" x 3/8", 3" x 1/2" | | | 1,220.- |
| HS-120 | 120 | 76 | 120-65 | 4" x 1/8", 4" x 3/8", 4" x 1/2" | | | 1,480.- |
| HS-150 | 150 | 95 | 150-90 | 5" x 1/8", 5" x 3/8", 5" x 1/2" | | | 1,800.- |